TECHNICAL DATA SHEET



Solventborne

Product name ACRYDIC PD-911

Description

ACRYDIC PD-911 is a solventborne thermoplastic acrylic resin for 1K lacquer coatings. ACRYDIC PD-911 has excellent anticorrosion properties. It is recommended for ships and containers coatings.

Applications

Ships and containers metal coatings.

Key features

Anti-corrosion.

Characteristics

	ACRYDIC PD-911	
Appearance	Clear liquid	
Solids content, weight %	44.0 - 46.0	
Viscosity, Gardner 25°C	X - Z1	
Color, Gardner	1 max.	
Acid value on solution, mgKOH/g	1.5 - 3.5	
Solvent	Solvesso-100	

Storage

Store in a cool, dry, well-ventilated place at temperatures below 25°C.

Safe handling note

Refer to SDS for ACRYDIC PD-911. Please confirm with our sales representative regarding chemical regulatory status of intended countries.

210604

All information on this data sheet is based on DIC Corporation laboratory tests and characteristics shown here are not sales specifications. Procedures and directions for use of DIC Corporation products are recommendations only, with no warranties expressed or implied. The user is solely responsible for determining suitability of DIC Corporation products for the particular application. DIC Corporation recommends consultation with its technical experts and trials before general or production use of any of its products. DIC Corporation products are provided subject to its standard terms and conditions. This data sheet supersedes all previous publications for the products described herein.

DIC Corporation

For more information: https://www.dic-global.com/en/products/coating.html