

Solventborne

Product name
ACRYDIC ZHB-213

Description

ACRYDIC ZHB-213 is a solventborne OH functional acrylic resin to use in combination with amino resins for stoving enamels. ACRYDIC ZHB-213 has excellent anti-corrosion and anti-staining properties. It is recommended for metal and home appliances coatings.

Applications

Metal coatings.
Home appliances.

Key features

Hardness.
Fast drying.
Adhesion to metals.
Can be formulated in combination with epoxy resins.

Characteristics

| | ACRYDIC ZHB-213 |
|--|------------------------|
| Appearance | Clear liquid |
| Solids Content, weight % | 56.0 - 58.0 |
| Viscosity, Gardner 25°C | W - Z |
| Color, Gardner | 1 max. |
| Acid value on solution, mgKOH/g | 2.5 - 4.5 |
| Solvent | Toluene / n-Butanol |

Storage

Store in a cool, dry, and well-ventilated place at temperatures below 25°C.

Safe handling note

Refer to SDS for ACRYDIC ZHB-213.
Please confirm with our sales representative regarding chemical regulatory status of intended countries.

210603

All information on this data sheet is based on DIC Corporation laboratory tests and characteristics shown here are not sales specifications. Procedures and directions for use of DIC Corporation products are recommendations only, with no warranties expressed or implied. The user is solely responsible for determining suitability of DIC Corporation products for the particular application. DIC Corporation recommends consultation with its technical experts and trials before general or production use of any of its products. DIC Corporation products are provided subject to its standard terms and conditions. This data sheet supersedes all previous publications for the products described herein.