



Color & Comfort

## TECHNICAL DATA SHEET

**Solventborne**

**High solids**

### Product name

## BECKOLITE BR-1800-PJ

### Description

BECKOLITE BR-1800-PJ is a solventborne saturated polyester to use in combination with amino resins for stoving enamels. BECKOLITE BR-1800-PJ has excellent balance of flexibility and hardness. It is recommended for coil coatings.

### Applications

Architectural and home appliances coil coatings.

### Key features

High-solids.  
Flexibility.  
Hardness.  
Chemical resistance.  
Weather resistance.

### Characteristics

	BECKOLITE BR-1800-PJ
<b>Appearance</b>	Clear liquid
<b>Solids content, weight %</b>	74.0 - 76.0
<b>Viscosity, Gardner</b>	Y - Z2
<b>Color, Gardner</b>	3 max.
<b>Acid value on solution, mgKOH/g</b>	4 - 8
<b>Solvent</b>	Solvesso-100 / Butyl cellosolve

### Storage

Store in a cool, dry, well-ventilated place at temperatures below 25°C.

### Safe handling note

Refer to SDS for BECKOLITE BR-1800-PJ.

Please confirm with our sales representative regarding chemical regulatory status of intended countries.

210604

All information on this data sheet is based on DIC Corporation laboratory tests and characteristics shown here are not sales specifications. Procedures and directions for use of DIC Corporation products are recommendations only, with no warranties expressed or implied. The user is solely responsible for determining suitability of DIC Corporation products for the particular application. DIC Corporation recommends consultation with its technical experts and trials before general or production use of any of its products. DIC Corporation products are provided subject to its standard terms and conditions. This data sheet supersedes all previous publications for the products described herein.

**DIC Corporation**

For more information: <https://www.dic-global.com/en/products/coating.html>