

Solventborne

Product name
Idester-7077

Description

Idester-7077 is a solventborne saturated polyester resin to use in combination with amino resins for stoving enamels. Idester-7077 has excellent hydrolysis and weather resistance. It is recommended for can and coil coatings.

Applications

Coil coatings.
Can coatings.

Key features

Hydrolysis resistance.
Weather resistance.
Tooling property.
High gloss.
Non yellowing.

Characteristics

	Idester-7077
Appearance	Clear liquid
Solids content, weight %	58.0 - 62.0
Viscosity, Gardner 25°C	Z5 - Z6
Color, Gardner	1 max.
Acid value on solids, mgKOH/g	10.0 max.
OH value on solids, mgKOH/g	15 - 25
Solvent	Solvesso-150

Storage

Store in a cool, dry, and well-ventilated place as mentioned in SDS.

Safe handling note

Refer to SDS for Idester-7077.
Please confirm with our sales representative regarding chemical regulatory status of intended countries.

220501

All information on this data sheet is based on DIC Corporation laboratory tests and characteristics shown here are not sales specifications. Procedures and directions for use of DIC Corporation products are recommendations only, with no warranties expressed or implied. The user is solely responsible for determining suitability of DIC Corporation products for the particular application. DIC Corporation recommends consultation with its technical experts and trials before general or production use of any of its products. DIC Corporation products are provided subject to its standard terms and conditions. This data sheet supersedes all previous publications for the products described herein.